Page 1

November-12-12 8:57:03 AM Item ID: 646.3314 Accept *N900040100* Setup Start Revision ID: Item-Name: Blade Start Date: **Start Oty:** 10.00 *10* 12/11/2012 Cust Item 1D: Required Date: 03/12/2012 Rea'd Otv: 10.00 *10* **Customer:** Reference: Run Start Approvals: M/J Date: 12-11-12 Tooling: Date: QC: Date: SPC(Y/N): Date: Sequence ID/ Operation Set Up/ Tool ID Tool # Plan Reject Accept Reject Insp. Work Center ID Description Run Hours Code Otv Number Stamp Draw Nbr **Revision Nbr** 646,3300 N/C 0.00 BAND SAW *100* D. A 12/12/01 Bandsaw 0.00 Memo Jeaspa Bandsaw Cut Blank at 5.050" 0.00 HAAS CNC VERTICAL MACHINING #1 10 or alalos 0.00 Memo HAAS CNC vertical machine #1 1-Machine per folio FB147 DWG REV: N/C

FOLIO REV: 44

²⁻ deburr and break all sharp edges except otherwise noted

												DQA:	Date	•
NCR:	Yes	/ No					WORK ORDER NON-C	100	NFOR	MANCE / UPD	ATE	•		
						_						QA Closed:	Date	
Work Ord	er:						DISPOSITION				AGAINST DE	PARTMENT	PROCESS	
Part NCR							Rework Scrap Use-as-is Work Order Update			Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	4	Water Jet d. Eng. Coor. e/Packaging Supplier	Engineering Quality Other
Root					Desc	rip	tion of work order update		nitial	Acti	on	Sign &		
Cause		Date	Step	Qty		0	r Non-conformance	Ch	ief Eng	Descri	ption	Date	Verification	QC Inspector
oc/Data quip/Tooling perator laterial etup ther rocess upplier raining														
							F.	AUL	T CATE	GORY				•
Landi		Bending Centre No Cracks Crushed/C Cuffs Heat Treat	Crimped. t		o/s		General Bend BOM/Route Broken/Damaged Burrs Contamination Countersink		Instruct Mainte Mislabe	on Incomplete ions Incomplete/U nance led	nclear	Ovalized Over/Under Part Incorred Part Lost/Mi Part Moved Positioned M	ssing /rong	Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled
	<u> </u>	Inspection		Tube	-	⊸	Cut Too Short	<u> </u>	Misread	I		Power Loss/	Surge	Other
	<u> </u>	Ripples in			. ⊢		Drill Holes	\vdash	Offset	Salik wasi a				,
	-	Torque Warning Se		xtrusioi	· -	-	Drawing Finish		l	Calibration Sequence			· · · · · ·	

Outside Dimensions

Wave/Twist in Tube

November-12-12 8:57:03 AM

Page 2

Item 1D: 646.3314 Accept *N900040100* Setup Start **Revision ID:** Item Name: Blade **Start Date:** 12/11/2012 **Start Qty: 10.00** *10* **Cust Item ID: Required Date:** 03/12/2012 Req'd Qty: 10.00 **Customer:** Reference: Run Approvals: **Process Plan:** Date: , **Tooling:** Date: QC: Date: SPC (Y/N): Date: Sequence ID/ **Operation** Set Up/ Tool ID Tool # Plan Accept Reject Reject Insp. Work Center ID **Description Run Hours** Code Qty Qty Number Stamp 120 QC2- Inspect parts off machine FAI/FAIB 0.00 OAS and 12/12/05 *120* OC 0.00 Memo Quality Control 12/12/06 130 QC8- Inspect parts - second check 0.00 *130* QC 0.00 Memo Quality Control 140 Outsource process - Heat Treat 0.00 CZ 12/112/07 (16 *140* Outsource1 0.00 Memo Outsource process - Heat Treat HEAT TREAT AS PER DWG, SEE NOTE #3 ISSUE P/O: 18602

				•								DQA:	Date:	•
NCR:	Yes	/ No					WORK ORDER NON-C	COI	VFOR	MANCE / UP	DATE	OA Classel	Data	
						_	· · · · · · · · · · · · · · · · · · ·			•		QA Closed:	Date:	
Nork Ord	er:						DISPOSITION				AGAINST DI	EPARTMENT,	/PROCESS	
						ı	Rework	1		Skid-tube	Crosstube	7	Water Jet	Engineering
Part	No.					١	Scrap		ı	Machining	Small Fab	Pro	d. Eng. Coor.	Quality
						١	Use-as-is]	Thern	noforming	Finishing	Rec/Stor	e/Packaging	Other
NCR	No.						Work Order Update]		Large Fab	Composite]	Supplier	
Root					Desc	rin	ntion of work order update	T i	nitial	Ac	tion	Sign &		
Cause		Date	Step	Qty	0.000	-	r Non-conformance	1	ief Eng		cription	Date	Verification	QC Inspector
oc/Data											•			
quip/Tooling														
perator								1						
laterial								Ì					•	
etup												}		
ther														
rocess														
upplier														
raining														,
napproved														
	-						F	AUL	T CATE	GORY				
Land	ing (Gear			_		General		_			_		
		Bending				_	Bend		Grain		L	Ovalized		Pressure/Forced
		Centre No	t Concer	ntric to O	/s		BOM/Route		Hardwa	re		_Over/Under	tolerance	Temperature/Cure
		Cracks				_]	Broken/Damaged		Inspecti	on Incomplete		Part Incorre	ct	Weld
	L	Crushed/0	Crimped.				Burrs		Instruct	ions Incomplete/	'Unclear	Part Lost/Mi	ssing	Wrong Stock Pulled
		Cuffs					Contamination		Mainte	nance		Part Moved		
		Heat Trea	t				Countersink		Mislabe	led		Positioned V	Vrong	
		Inspection	n Strip in	Tube			Cut Too Short		Misread	I		Power Loss/	Surge	Other
		Ripples in	Bend				Drill Holes		Offset					
		Torque W	aves in E	xtrusion	Γ		Drawing		Out of 0	Calibration				
		Turning S	equence		ſ		Finish		Out of s	Seguence		•		

Outside Dimensions

Wave/Twist in Tube

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

November-12-12 8:57:03 AM

92894

Page 3

Item ID: 646.3314 Accept *N900040100* Setup Start **Revision ID:** Item Name: Blade *10* **Start Date:** 12/11/2012 **Start Qty: 10.00 Cust Item ID: Required Date:** 03/12/2012 Req'd Qty: 10.00 *10* **Customer:** Reference: Run Approvals: **Process Plan:** Date: Tooling: Date: Stop QC: SPC (Y/N): Date: Date: Sequence ID/ Operation Tool ID Reject Set Up/ Tool # Plan Accept Reject Insp. Work Center ID Description **Run Hours** Code Qty Qty Number Stamp 150 Receive & Inspect for Damage & Mat'l Certs 0.00 *150* Packaging 0.00 Memo Packaging 155 QC5- Inspect part completeness to step on W/O 0.00 *155* QC 0.00 Memo Quality Control 160 Spray Painting per QSI005 4.2 0.00 10 Ø Ø AH 13-1-9 *160* SprayPaint 0.00 Memo **Spray Painting** PRIME AS PER DWG, SEE NOTE #4 PRIMER BATCH: \23693

											υ α,	Date.	
NCR: Y	res / No	0			WORK ORDER NON-	COI	NFORI	MANCE / U	PDATE		QA Closed:	 Date:	
Work Orde	er:				DISPOSITION				AGAINS	T DE	PARTMENT		· · · · · · · · · · · · · · · · · · ·
Part N NCR N	No				Rework Scrap Use-as-is Work Order Update			Skid-tube Machining noforming Large Fab	Crosstub Small Fa Finishin Composit	b g	4	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root				Descri	ption of work order update		Initial	Д	ction		Sign &		
Cause	Date	Step	Qty	(or Non-conformance	Cr	nief Eng	Des	cription		Date	Verification	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved													
					F	AUL	T CATE	GORY			•		•
Landin	ng Gear		···		General		_				_		
,	Bendin Centre	g Not Conce	ntric to	0/5	Bend BOM/Route		Grain Hardwa	re		F	Ovalized Over/Under	tolerance	Pressure/Forced Temperature/Cure

Inspection Incomplete

Maintenance

Out of Calibration

Out of Sequence

Outside Dimensions

Mislabeled

Misread

Offset

Instructions Incomplete/Unclear

Broken/Damaged

Contamination

Countersink

Cut Too Short

Drill Holes

Drawing

Finish

Folio

Burrs

DOV

Part Incorrect

Part Moved

Part Lost/Missing

Positioned Wrong

Power Loss/Surge

Data:

Weld

Other

Wrong Stock Pulled

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Ripples in Bend

Turning Sequence

Wave/Twist in Tube

Cracks

Cuffs

Heat Treat

Crushed/Crimped.

Inspection Strip in Tube

Torque Waves in Extrusion

Quality Control

Page 4

November-12-12 8:57:03 4M Item ID: 646.3314 Accept *N900040100* Setup Start Revision ID: Blade Item Name: *10* **Start Oty: 10.00** Start Date: 12/11/2012 **Cust Item ID: Required Date:** 03/12/2012 Req'd Qty: 10.00 **Customer:** Reference: Run Approvals: Process Plan: Date: Tooling: Date: OC: SPC (Y/N): Date: Date: Sequence ID/ Operation Tool ID Set Up/ Tool # Plan Accept Reject Reject Insp. Work Center ID Description **Run Hours** Code Otv Oty Number Stamp 170 OC14- Inspect Spray Paint 0.00 *170* 13.01.10 OC 0.00 Memo Quality Control Identify as per dwg & Stock Location: \\\ 180 *120* Packaging 0.00 Memo Packaging ***IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV*** 190 QC21- Final Inspection - Work Order Release 0.00 *190* 0.00 Memo

pl 13-01-14

											DQA:	Date):
NCR:	Yes	/ No				WORK ORDER NON-C	100	VFORM	MANCE / UPD	DATE			
											QA Closed:	Date):
Work Orde	er:					DISPOSITION		:		AGAINST DE	PARTMENT,	/PROCESS	
Part N	. ا					Rework Scrap Use-as-is Work Order Update		t Therm	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	Į.	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root					Descri	ption of work order update	ı	nitial	Acti	on	Sign &		
Cause		Date	Step	Qty	C	or Non-conformance	Ch	ief Eng	Descri	iption	Date	Verification	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved					- .								
						F/	AUL	T CATE	GORY				
Landi		Bending Centre No Cracks Crushed/0		ntric to	O/S	General Bend BOM/Route Broken/Damaged Burrs		Instruct	on Incomplete ions Incomplete/U	Inclear	Ovalized Over/Under Part Incorre Part Lost/M	ct	Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled
		Cuffs Heat Trea Inspection		Tube		Contamination Countersink Cut Too Short		Mainte Mislabe Misread	led		Part Moved Positioned \ Power Loss/	_	Other
		Ripples in	Bend			Drill Holes		Offset					

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

. Picklist Print

November-12-12 8:57:06.4M

Work Order ID: 92894

Parent Item:

646.3314

Parent Item Name: Blade

92894

646 3314

Start Date: 12/11/2012

Required Date: 03/12/2012

Page 1

Start Qty: 10.00

Required Qty: 10.00

Comments:

IPP REV:A NEW ISSUE 12/11/07 JFS VERIFY BY: JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
MSTEEL-A2- B0.500X1.250		Purchased	No		· # • •	100	f	20.8716	0.421	4.431579	•		0 A A :
MSTFFL		500X1	250)					**	b.e	12/1	201	₽\$\$ 98 - \$\$

Location	Loc Qty	Loc Code	
MAT	20.8715789		
123250	20.8715789		

× 123763

											DQA:	Date:	
NCR:	Yes	/ No				WORK ORDER NON-	COI	NFORM	MANCE / UPI	DATE			4
									·		QA Closed:	Date:	
Work Ord	er:					DISPOSITION				AGAINST DE	PARTMENT	/PROCESS	
Part I	No.					Rework Scrap Use-as-is Work Order Update		Therm	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	4	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
11011	•••			,		Work order opaute_	J		zarge rub	composite	1	34ppner	اـــــا ا
Root					Descri	ption of work order update		nitial	Act	ion	Sign &		
Cause		Date	Step	Qty	(or Non-conformance	Ch	nief Eng	Descr	ription	Date	Verification	QC Inspector
Doc/Data													
Equip/Tooling								ļ					
Operator				,									
Material													
Setup													
Other													
Process													
Supplier													
Training						•	1						
Unapproved							1						
						F	AUL	T CATE	GORY				
Landi	ng (Gear				General		_					_
		Bending				Bend		Grain			Ovalized		Pressure/Forced
		Centre No	ot Concer	ntric to	o/s	BOM/Route		Hardwa	re		Over/Under	tolerance	Temperature/Cure
		Cracks				Broken/Damaged		Inspecti	on Incomplete		Part Incorre	ct	Weld
		Crushed/	Crimped.			Burrs	Г	Instructi	ions Incomplete/L	Jnclear	Part Lost/M	issing	Wrong Stock Pulled
		Cuffs	•			Contamination		Mainte	•		Part Moved		-
	Г	Heat Trea	at			Countersink		Mislabe	led		Positioned V	Vrong	
		Inspectio	n Strip in	Tube		Cut Too Short		Misread	ł		Power Loss/		Other

Offset

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Torque Waves in Extrusion

Drill Holes

Drawing

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G


DART AEROSPACE LTD	Work Order:	92894
Description: BLADE	Part Number:	646.3314
Inspection Dwg: 646.3300 Rev: N/C		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
45.0°	4/50	450			C-Sauce	MI-CBB
φ0.177	1.005/001	8.177			Vera	ML-06
55.6°	+150	556			C-Square	ML-680
4.90	+/010	4.884			Vein	11.6-36
4.257	+1005	4.257			/-	
1.109	+002	1.109			/ 1	
0.666	+1002	,668			11	
0.524	+/005	.524			71	
RO.125	+1005	R.125			R-G	
0.240	+/002	.240			Vern	ML-DL
0.524	+1005	.524			/,	
0.94	+1010	.936			Ų	
0.375	+1005	- 375			• (
0.325 x 30.0°	+1005 / +150	.325×30°			h	
	/					
				,		

Measured by:	Audited by:	DA 08	Preliminary Approval:	
Date: 12/12/05	Date:	17 12 06	Date:	

Rev	Date	Change	Revised by Approved
E	10.04.14	Added preliminary approval	KJ





SHEET 3, SECTION VIEW A-A, IS:




SECTION A-A 306

F/N TC PART NUMBER QTY DESCRIPTION MATERIAL/SPECIFICATION








.200 X 45.0° TYP (.250)


SECTION B-B


SECTION A-A 🔣

OPICHIALDATE PACHDAINED 08-20-05	APICAL INDUS	TRIFS							
SPAWNES CHECKER SHOTS PERAVO	2608 TEMPLE HEIGHTS DR.								
DAVING APPOVAL	OCEANSIDE, CA. 92055-3512	(760)724-5300							
COARACITIO	UPPER CUTTER A	ASSY							
UNITED COMERNISE SPECIFED	SWIT I CASH CORN I DAVE HO	T REV							
TOTERANCES ARE 2 PLACE DECAMAIS ± CT	B 07MZ6 646.3300) N/C							
APPLACE DECIMALS 1006	SCALE NONE IS	HEET 3 OF 8							


.


















646.3315

A second of the second of the

DEVAMA BS. CHECKER IMO-DY-ALL BR-SPOR CLARGE OF TOTAL	APICAL INDUSTRIES						
S PERS PERSON DESCRIPTION OF THE PERSON APPROVAL PERSON OF THE PERSON OF	2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300						
COMPACT IS	UPPER CUTTER ASSY						
LAUSS GIBERNIEF SPECEED DAUTHS ONS APE SA DICHES FOLERANCES APE: 2 PLACE CECMALS 1:01	50F CAGE CODE DAD NO 646.3300						
ANCHES 1 3"	SCALE NONE	SHEET 7 OF 8					



METCOR INC. 560 BOUL. ARTHUR-SAUVÉ ST-EUSTACHE, QC, J7R 5A8

Tel: 450-473-1884 / Fax: 450-491-5498

Certificat de Conformité Détaillé

Detailed Certificate of Compliance

BON DE TRAVAIL order	CHARGEMENT load
181923	1

CLIENT / customer 215 DART AEROSPACE 1270 ABERDEEN HAWKESBURY

ON K6A 1K7

LIVRÉ À / shipped to: DART AEROSPACE 1270 ABERDEEN HAWKESBURY

ON K6A 1K7

COMMAN		DU CL		DE LIVRAISON	1	MATÉ			RAITEMENT		O DE LOT
		8602	-22 -	customer supp	el no.			mat'l h	Saf code	- 10t·m	umber
	7	0002			DÉCILIO	AZIONO DI					
VAC HARI			FR	<u> </u>	proce	ATIONS DI essing specif	<u>J PROCE</u> ications	<u>DE</u> '			
	+			IFICATIONS	2 / specific	A TESTS E	YÉCUTÉS	/ norformed	DÉCLUTA	TO DE TE	STS / results
HARDNE	S\$	guiren	58 - 62	2 HRC	o / Specifie	U IESIS E	8	r periormed	59.0 - 60.0		STS / results
QUANTIT quantity	É	PC		DESCRIPTIO		PIÈCES					
	30		9 (F	346.3314 BL 10) BLADES REFERENC 10) 646.331 REFERENC 10) 646.331 REFERENC CONTENAN	ADES E 92894 5 BLADES E: 92895 61 BLADE E: 92896		· ·			-	·
Operation	Tem Spe	p. spécifiée cified Temp	Temps de trempe Spécifié Specified Soak Temp	Atmosphere	Carbone Carbon Potential	Q-Media Q-Temp	Four # Furnace #	Date Départ Start Date	Heure d'entrée Time In	Heure de sortie Time Out	Date Complétée Date complete
1.00 CONT. INIT.	L	AVAGE		si nécessaire							
2.00 PREPARING	3b	MPTAGE									
3.00 PREHEAT 1		1200	0:30	VAC			390				
4.00 PREHEAT 2		1500	0:30	VAC			390				
5.00 VAC HARDE		1800	1 hrs 30 minutes	VAC		AZOTE	390				

METCOR INC. 560 BOUL. ARTHUR-SAUVÉ ST-EUSTACHE, QC, J7R 5A8

Tel: 450-473-1884 / Fax: 450-491-5498

Certificat de Conformité Détailé

Detailed Certificate of Compliance

BON DE TRAVAIL	CHARGEMENT
order	load
181923	1

CLIENT / customer 215
DART AEROSPACE
1270 ABERDEEN
HAWKESBURY

ON K6A 1K7

LIVRÉ À / shipped to: DART AEROSPACE 1270 ABERDEEN HAWKESBURY

ON K6A 1K7

Operation	Ten Spi	p. spécifiée cified Temp	Specified Soak	Atmosphere	Carbone Carbon Potential	Q-Media Q-Temp	Four # Furnace #	Date Départ Start Date	Time In	Heure de sortie Time Out	Date Complétée Date complete
6.00 TEMPER	-	400°F	2 hrs	air			655			· · · · · · · · · · · · · · · · · · ·	
7.00 TEMPER 2		400°F	2 hrs	air			655		·		
8.00 HARDN INS											
9.00 FINAL INSP								12-13-2012			12-13-2012

COMMENTAIRES / comments

Le traitement thermique a été fait en utilisant des équipements en conformité avec la spécification demandée.

Toutes les opérations de traitement thermique ont été faites en conformité avec les requis de la spécification demandée et toutes les vérifications et les tests demandées ont été faites et documentés.

Aucun changement ou dérogation n'a été faite par rapport au traitement thermique demandé.

On certifie que le matériel a été fabriqué, échantillonné, testé et inspecté en accord avec les spécifications du matériel et le bon de commande et le matériel rencontre les exigences spécifiés.

All the heat treatment processing performed on this order was accomplished using heat treatment equipment compliant with the requested heat treatment specification.

All the heat treatment operations were accomplished in accordance with the requested/required heat treatment specification and all required verifications test have been performed and documented.

No unauthorized changes or deviations to required heat treatment specifications or procedures have been performed. We certify that the material was manufactured, sampled, tested and inspected in accordance with the material specification and the purchase order and was found to meet the requirements.

APPROUVE par / Approved by:	Jacket Oler	DATE: 2012-12-13		
	(NETCOR)			

/ Nous certifions que toute l'information comprise sur ce rapport est exacte et conforme aux requis du client./We certify that all the information on this report is exact and in accordance with the order requirements.